



الشركة السعودية لمنتجات المطاط
SAUDI RUBBER PRODUCTS CO.



CERTIFICATE NO. 31183



P. O. Box: 3869,
Al-Khobar 31952
Kingdom of Saudi Arabia
T: (+966) 03- 8121919
F: (+966) 03- 8121818
M: (+966) 055 333 5139
E-mail: info@saudirubber.com
Website: www.saudirubber.com


RANGE OF PRODUCTS & SERVICES



الشركة السعودية لمنتجات المطاط
SAUDI RUBBER PRODUCTS CO.

Our Range of Products includes :

1. SARPCO ATHLETIC & RECREATIONAL SURFACES /POURED-IN-PLACE:



Available Colors



1- Out door Olympic Running Tracks


A. Sandwich type system, Product Name: (SW)

Elastic layer, applied directly on site using a special finisher.

Certified for DIN 18035/6:Typ D, certificate IAAF.

Elastic layer of PUR/recycled granulate, and pore-closing layer and poured layer topped with color granulate EPDM, water impermeable . Running tracks in competition and top-performance sport, high quality sport surfaces, thick. 13 - 15 mm

EPDM Granules (1 – 4mm)
Pigmented Self leveling layer
Pigmented pore sealer
10mm rubber granule mat
Primer
Asphalt/concrete substrate



Available Colors





B. Granulated solid polyurethane(PUR) system, Product Name:(MT Gran)

Elastic layer, applied directly on site using a special finisher.

Certified for DIN 18035/6: Type C, certificate IAAF.

A resilient and impermeable surface with the same construction as MT type but obtained with a broadcasted layer of colored EPDM Granules finish

EPDM granules (1 – 3 mm)
Pigmented PUR layer
Pigmented PUR layer
Primer
Asphalt/concrete substrate



1 Support
2 SBR
3 EPDM

Available Colors



C. Two layer granule coating system, Product Name:(2S)

Elastic layer, applied directly on site using a special finisher.

Certified for DIN 18035/6: Type C, certificate IAAF.

Elastic layer with PUR/ recycled granulate plus final layer with granulate PUR/EPDM in color, water permeable. Ideal For Multi-purpose playgrounds, protection against fall, running tracks in mass and competition sports, combined school sports grounds, thick. 14 -16 mm.

7mm EPDM granule mat
9mm Rubber granule mat
Primer
Asphalt/concrete substrate



Available Colors



D. Spray coating surface system, Product Name:(SP)

Elastic layer, applied directly on site using a special finisher.


Certified for DIN 18035/6: Type A, certificate IAAF.

Structured sprayed layer, water permeable.

Running tracks, play grounds, ideal even for re-vitalisation and re-topping, thick. 13 mm.

EPDM granule spray coat
10mm granule mat
Primer
Asphalt/concrete substrate





Available Colors



2- BALL GAME COURTS : HANDBALL AND MULTI-PURPOSE HALLS.

A. Elastic sports system, Product Name: (Sarpco BS 10+2)

Elastic layer, applied directly on site using a special finisher.

Certified for DIN 18032 / 2, EN 14904, certification IHF and FIBA (International Handball Federation and International Basketball Federation). Top class elastic polyurethane sport designed for multi-purpose sport halls, school gyms, specialized tennis Courts and gymnastic halls. It can be used for any ball games.

Pigmented top coating
Pigmented self levelling
Pigmented pore sealer
Rubber bonding mat
Primer
Asphalt/concrete substrate



Available Colors



B. Non-skid solid polyurethane(PUR) system, Product Name: (MT)


Elastic layer, applied directly on site using a special finisher.

An impermeable non-skid surface that combines two layers of both 2 component polyurethane material with weather resistant top-coat.

Pigmented top coat sealer
Pigmented PUR layer
Pigmented PUR layer
Primer
Asphalt/concrete substrate



Available Colors



C. Ethylene Propylene Diene Monomer granule system, Product Name: Full (EPDM)

Elastic layer, applied directly on site using a special finisher.

Certified for DIN 18035/6: Type C, Single-layer PUR/EPDM water permeable surface. High quality elastic surface, designed for multi-purpose sports grounds, ideal for tennis courts and school athletic tracks, thick. 10 mm. Elastic layer, applied directly on site using a special finisher, with thickness of 10 mm. It consists of polyurethane bonding agent and EPDM full-color granulate (rubber resistant to all and any weather influences).

10 mm EPDM granule mat
Primer
Asphalt/concrete substrate



Available Colors



D. Rubber granule mat with polyurethane(PUR) sealer, Product Name: (1S)

A permeable surface made of polymerically bound granules mat applied with colored sealer as finished topping. Colours are usually oxide green and oxide red, other colours on request.

Colored PUR sealer
Rubber Granules mat
Primer
Asphalt/concrete substrate




Available Colors



E. Polyurethane(PUR) Top Coat/Paint: Product Name: PU Paint

Impregnating systems, sealers and coating materials based on MDI isocyanates will protect industrial floors against mechanical and chemical stresses and increase their life-cycle. One-component polyurethane based coatings cure with atmospheric moisture. To prevent foaming caused by the production of carbon dioxide during the curing process, they are applied in thin coats.

Lining & Marking
Colored PUR sealer
Primer
Asphalt/concrete substrate





3-POURED-IN-PLACE SAFETY PLAYGROUND SURFACING



1. Product Name: Sarpco PlaySafe Playground Surfacing

2. Manufacturer
Saudi Rubber Products Co.

3. Product Description

BASIC USE:

PlaySafe Poured-in-Place Playground Surfacing is designed for Children playgrounds.

4. COMPOSITION

PlaySafe™ Poured-in-Place surfacing is a 2-layer system consisting of a Basemat of 100% post-consumer recycled SBR (styrene butadiene rubber) and polyurethane and a top surface consisting of recycled post-industrial EPDM (ethylene propylene Diene monomer) rubber and polyurethane.

The type of playground equipment determines the required Basemat thickness, and the Basemat thickness may be different at various locations on the playground site.

5. BENEFITS:

Our wetpour soft fall rubber is poured onsite, to create a brilliant safe rubberized surface designed for soft play. Sarpco playground rubber surfacing offers safety, durability and low maintenance for soft fall areas around playground equipment, and ideal for use in childcare centers, parks and school playgrounds. Playground rubber surfaces are available in many different colours and the design possibilities are endless. We have extensive experience in wet pour rubber playground surfacing across a broad range of applications using both EPDM and SBR Recycled rubber.

6. Materials

- A. Primer: A single component, moisture cured polyurethane.
- B. Binder: A MDI based, elastomeric, polyurethane pre-polymer with low order and exceptional weathering and binding attributes.
- C. SBR Black base layer
Recycled SBR rubber buffing 1-3, 1-4mm.
- D. EPDM wear surface
 1. UV Stabilized virgin EPDM rubber
 2. Available in sieve's of .5 - 1.5 mm, 1 - 3 mm or 1- 4 mm

7. Pour-In-Place System:


1. Independently tested to ASTM F1292 standards for head injury criteria.
2. Slip resistant in wet and dry conditions
3. Abrasion resistant
4. Fire Retardant
5. Fungal resistant
6. Resistance to weathering and aging
7. Complies with ADA accessibility standards



Playground Surfaces
Indoor and Outdoor

- Safety rubber tiles
- Molded rubber animals & tree figures
- Pour in place finishes

Sarpco CEO
Resort
Al Hasa



Size: 600 x 860mmx10-80mm



Size: 500 x 500mmx10-80mm

Available Colors



4. PLAYGROUND SAFETY RUBBER TILES

a. Safety Rubber Tiles :

Safety is the number one concern of industrial and commercial applications.

With SARPCO, the concept of safety embraces all the phases of the products life.

Sarpco Rubber Tiles provide the safety, exibility and durability you need for almost any impact-prone surface. Resilient and slip resistant. They are designed for greater exibility, durability and fall protection. Each tile is molded to reduce gaps and sized for easy installation. All tiles are bonded with a polyurethane resin and UV stabilizer to create an attractive and durable safety surface.

Application: the product is widely used in kindergarten, Schools, Parks, Playgrounds, Patios footway, poolside, gymnasiums, weight rooms, outdoor fitness areas, play areas.


4.1- Colored Square /Interlock Rubber Tile:

Made with pigmented black granules mixed with enough percentage of polyurethane binder, Sarpco square Tiles are pressure-molded and processed from recycled rubber and PU binder.



4.2- Freckled Interlock Rubber Tile:

These tiles are highlighted by the mix of EPDM granules on top surface and comes in freckled red, green, blue, beige and jazz for your choice. Also made with the mixture of polyurethane binder. Most Ideal for indoor fitness centers & offices.



Size: 860 x 600mmx10-80mm

:600 x 600mmx 3/5/8/10mm

Roll: Width: 1200mm , Length: 10/15m

Available Colors



For more information & available colors Ask for Sarpco Rubber Zip-Tile Brochure

4.3- Top EPDM Rubber Tile:

The upper 5 to 6mm layer of these tiles are made with pure EPDM to provide a better finish. Compared to other tiles, they are more resilient due to advance properties of EPDM rubber.



Size: 860 x 600mmx10-80mm

:500 x 500mmx 10-80mm

Available Colors



Size: 860 x 600mmx10-80mm

:500 x 500mmx 10-80mm

Available Colors

Standard Series




EPDM Series



4.4- Children Playground Safety Rubber Tile:

Designed to protect children from fall heights, this perfectly resilient tile is best to use around children's playground area. These innovative and colorful tiles can reduce impact from falls of up to 2.4m, and because they're made from recycled material, they have minimum impact on the environment. supplied with its transition ramps if ordered in 600mm thickness only.





Size: 1350 x 900mmx10-20mm
860x600x10-30mm
Available Colors



4.5-Anti-Fatigue Rubber Tile

The main features of rubber flooring, flexibility and permanent resiliency, offer a very high degree of comfort under-foot and anti-fatigue effect. This is particularly important for those applications where people are standing on their feet while performing their job (offices, transit areas, waiting rooms, restaurants, factories, shopping malls, etc.).

- Here at this factory were employees will stand from eight (8) to twelve (12) hours a day. The owners have installed the "Sarpco" Anti-Fatigue Rubber tile to prevent leg fatigue and injury.



Size: 600 x 600mmx13-20mm
Available Colors



4.6- Rubber Paver Tile

Made to last from very high density urethane bonded primary crumb rubber buffing. The tile retains a cushion-like effect that is easy and non-fatiguing upon one's feet. Extremely easy to maintain, just hose down or damp mop and let dry. A wonderful way to cover your problem areas with the latest in rubber technology.

Applications:

Restaurant patios, Residential backyard patios, Pools' surrounds, Decks, Sports arenas, Courtyards Golf courses, Roof top and many other areas.

- Bottoms are channeled for air flow to eliminate potential cupping
- Top surface has a paver brick design



Size: 860 x 600mmx43-80mm
:500 x 500mmx43-80mm



5- MILITARY RUBBER PRODUCTS

Anti-Ricochet Rubber Products For Army Shooting Ranges

A- Ballistic Rubber Tiles

Ballistic tiles have excellent capturing properties to prevent ricochets and lead splashbacks. With a density of approximately 900 kg/m³, and a 0.67 N/mm², ballistic tiles provide a smooth finished surface with no protruding edges, it is installed on the floor, walls and ceiling of the firing range for maximum protection.



B- Military Rubber Mulch:

Basic training is tough. Rubber Mulch is even tougher.

Military training calls for serious protective measures. Formulated of 100% recycled tires, Rubber Mulch is the safety surfacing of choice for military obstacle courses, ropes courses, and combat training pits. Number one in shock absorbency, Rubber Mulch has been proven to significantly reduce the risk of military training injuries. Durable and skid-proof, Rubber Mulch is made to last for a lifetime of rigorous military training. Rubber Mulch safely absorbs bullets in shooting ranges, serving as the perfect backstop for your shooting range!



Available Colors







6. SPECIALTY CONSTRUCTION PRODUCTS

a. Soundproofing Anti-Vibration Isolation Pads

A black recycled resilient rubber pad designed to absorb and reduce point load vibration for use under white goods, treadmills and a wide variety of noisy equipment that may vibrate. This product is ideal for reducing vibration caused from products such a washing machines, compressors or exercise equipment. It does not reduce the airborne noise that these items might create but helps to decouple the vibration. The vibration is what will pass through any flooring to annoy neighbors beneath.




TYPICAL INSTALLATIONS:



b. Underlayment Rubber sheets & Rolls.

Floor finishes requires insulation that will be best achieved with rubber underlayment to ensure a pleasant environment. It is resilient and durable combined with compressive stability, easy to install and can be loose laid if desired.



Available Colors




Size: Width: 1,200mm , Length: 10, 15, 20 meter
Thickness: 2, 3, 5, 6, 8, 10mm



c. ESD - Static Control . Insulating rubber mat, to prevent from electrical shocks.

This product can be relied on to totally eliminate the possibility of an electric shock released through the floor from the electrical room of any structure. Available in black and choice of colors, made to provide the highest degree of static control in applications where the control of static Build-up and Static Discharge are of primary importance (hospitals, computer rooms, clean rooms, electronic manufacturing plants, etc.)




Size: 860 x 600mmx10-20mm
:500 x 500mmx10-20mm
600x600mmx3/5/6/8/10mm
1350x900mmx10-20mm
Available Colors

Standard Series








EPDM Series



d. Thermal & Acoustical resistant Rubber Tile & Rolls

Interiors, whether residential, commercial or industrial buildings are deemed to be properly insulated from a wide range of Acoustical & temperature either heat or cold. These tiles can represent the function by installing them in between double walls or directly on internal walls. We offer thickness of 10, 15, and 20mm.





Size: 860 x 600mmx20-80mm
:500 x 500mmx 20-80mm
Available Colors



7. EQUESTRIAN FOOTING.

a. Stables floor & wall Rubber tiles

Resilient and durable flooring is also needed by your horses to provide comfort and lessen their fatigue. Their body movements while on stable is also of utmost importance. Our high density tiles will help you ease their pain.



b. Equestrian Rubber Mulch

While training your horses, it is imperative that they will feel relaxed. Our colored mulch evenly spread on sand can improve your horses' stagnant performance.



Available Colors



8. RECYCLING RUBBER PRODUCTS

a. Crumb Rubber (SBR)

This meticulously prepared product is not only environmentally friendly, it is a product of thousand uses. It is the most vital component to produce a lot of products for civil engineering applications, automobiles, aviation, communications, shipping, industries, recreation and sports. They are either on either 25 kg bags or jumbo bags (maximum of 1 ton) and are available in 1, 2 ,3, 4mm or combination thereof.



b- Rubber modified asphalt

Adding tire crumb rubber to the hot bitumen improves the performance, as proven over thousands of highway miles. Advantage include decreased rutting, reflective and thermal cracking, reduced traffic noise and lower maintenance work.




c- Landscape rubber products

1- Rubber Mulch:

Made from 100% recycled rubber, Rubber Mulch looks like shredded bark, but resists fading and compacting, while retaining ground moisture. And Rubber Mulch won't attract bugs or animals. Imagine all the beauty and benefits of wood mulch without the cost and labor of yearly replacement. SARPCO Rubber Mulch gives landscape professionals and home gardeners a stylish and sound alternative to costly garden maintenance.



Available Colors



2- Rubber Mulch Tree Ring

Innovative mulch tree ring is dark brown. Just cut a 1/2" deep circle in your turf to allow the ring to lay flush with the existing turf. Then simply slip the pre-cut ring around your tree. Allows water, air and nutrients to pass through to the tree but form a barrier against weeds. Ring is made 100% from recycled tires. Rubber mulch is maintenance-free, can be easily cut to size and will not discolor, decompose or blow away.



Crumb Rubber, Safety Rubber Tiles, Sports & Playgrounds Safety Surfacing, Artificial Grass

إنتاج حبيبات المطاط - البلاط المطاطي وأرضيات الملاعب الآمنة وملاعب الأطفال وملاعب العشب الصناعي